

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES**

MMB Docket No. **1671-0297**

J & J Reference: **DEP5255USNP**

Confirmation No.: **7290**

Application of: **Hayden et al.**

Group Art Unit: **3774**

Serial No. **10/814,097**

Examiner: **Ann M. Schillinger**

Filed: **March 31, 2004**

For: **Sliding Patellar Prosthesis**

I hereby certify that this correspondence is being transmitted via the Electronic Filing System (EFS) to Mail Stop Appeal Brief, Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

April 1, 2010

(Date of Deposit)

James D. Wood

Name of person mailing Document or Fee

/James D. Wood/

Signature

April 1, 2010

Date of Signature

**APPEAL BRIEF**

Sir:

This is an appeal under 37 CFR § 41.31 to the Board of Patent Appeals and Interferences of the United States Patent and Trademark Office from the rejection of the claims 1-3, 10, 13, 14, 31, and 38-53 of the above-identified patent application. These claims were indicated as rejected in an Office Action dated October 5, 2009. The \$510.00 fee then required under 37 CFR § 41.20(b) (2) was submitted with the Appellants' earlier Appeal Brief. The Director is hereby authorized to charge the additional amount now due and requested to please provide any extensions of time that

may be necessary and charge any further fees that may be due to Account No. 13-0014, but not to include any payment of issue fees.

### **(1) REAL PARTY IN INTEREST**

DePuy Products, Inc. of Warsaw, Indiana is the assignee of this patent application, and the real party in interest.

### **(2) RELATED APPEALS AND INTERFERENCES**

There are no appeals or interferences related to this patent application (serial no. 10/814,097).

### **(3) STATUS OF CLAIMS**

Claims 1-3, 10, 13, 14, 31, and 38-53 are pending in the application.

Claims 4-9, 11-12, 15-30 and 32-37 have been canceled.

Claims 1-3, 10, 13, 14, 31, and 38-53 are rejected.

Claims 1-3, 10, 13, 14, 31, and 38-53 are being appealed, and are shown in the Appendix attached to this Appeal Brief.<sup>1</sup>

---

<sup>1</sup> This Appendix is in the form previously required by the Examiner (see Notice of Non-Compliant Appeal Brief dated March 6, 2009) as discussed more fully below.

#### (4) STATUS OF AMENDMENTS

While the Appellants have filed no amendments after receipt of the October 5, 2009 Office Action (the “Office Action”), the status of the claims is not clear due to the Examiner’s failure to follow PTO procedures.

Specifically, in response to an Amended Appeal Brief filed on November 26, 2008, the Examiner levied a requirement insisting that the claims which had been canceled during prosecution be listed in the Appeal Appendix, a requirement directly contradictory to the requirements set forth in MPEP 1205.02. The Appellants attempted to comply with the Examiner’s requirement without violating the explicit edict of MPEP 1205.02 by submitting an appendix on April 6, 2009 which included claim numbers of each of the canceled claims without any wording or status identifiers. In response, the Examiner reopened prosecution alleging that a request for continued examination under 37 CFR 1.114 (hereinafter “RCE”) had been filed *and paid for*, and that the paper of April 6, 2009 had been “entered.” (Office Action at page 2).

A review of the PAIR system reveals that no RCE has been entered. Rather, PAIR shows that the Examiner conducted a new prior art search and “found” U.S. Patent No. 5,609,644 of Ashby et al. (hereinafter “Ashby”), a reference that was previously submitted by the Appellants on March 31, 2004 and previously considered by the Examiner on April 28, 2007 (See Office Action dated May 4, 2007).

Accordingly, notwithstanding the Examiner’s allegations in the Office Action, the Appellants believe that the Amendment dated January 28, 2008 sets forth the precise wording of the claims appealed herein.

## **(5) SUMMARY OF CLAIMED SUBJECT MATTER**

The present invention relates to a sliding patellar prosthetic device. (See, e.g. Appellants' specification at Abstract). With reference to FIG. 15, a base 60 includes a boss 62 and spin stop 64. (See, e.g. Appellants' specification at page 16, lines 6-7). The upper surface 66 of the base 60 is spherically curved and a bearing surface 68 of articulating subcomponent 70 shown in FIG. 16 is curved in a complimentary manner so as to lay adjacent to upper surface 66 when articulating subcomponent 70 is assembled onto base 60. (See, e.g. Appellants' specification at page 16, lines 7-10). Accordingly, as boss 62 moves along the length of channel 72, a rotational movement is realized, with articulating subcomponent 70 rotating about the Y-axis. (See, e.g. Appellants' specification at page 16, lines 11-13). Additionally, articulating subcomponent 70 may spin about the Z-axis, as limited by spin stop 64 and the structure defining spin stop receiving chamber 82 in the same manner as discussed above. (See, e.g. Appellants' specification at page 16, lines 13-16).

Additionally, a third degree of rotation is possible about the X-axis. This is accomplished by providing channel 72 with a width that is wider than the diameter of head 74 of boss 62, along with providing an opening from channel 72 to bearing surface 68 that is wider than the width of stem 76 of boss 62. (See, e.g. Appellants' specification at page 16, lines 23-25). Accordingly, relative motion of boss 62 from side to side within channel 72 is allowed. (See, e.g. Appellants' specification at page 16, lines 23-25). Therefore, because boss 62 is dome shaped, upper surface 66 is curved along the Y-axis and movement of boss 62 from side to side within channel 72 is rotation about the X-axis. (See, e.g. Appellants' specification at page 16, lines 27-29). Of course, head 74

must remain wider than the opening from channel 72 to bearing surface 68 to ensure head 74 is retained within channel 72. (See, e.g. Appellants' specification at page 16, line 29 through page 17, line 2).

Referring again to FIG. 16, articulating subcomponent 70 also includes boss assembly region 78 and spin stop chamber loading region 80 which is in communication with spin stop receiving chamber 82. (See, e.g. Appellants' specification at page 17, lines 3-5). Boss assembly region 78 is used to assemble articulating subcomponent 70 to boss 62. (See, e.g. Appellants' specification at page 17, lines 5-6). Because boss assembly region 78 is offset from channel 72, the possibility of accidental disassembly of articulating subcomponent 70 from base 60 is reduced. (See, e.g. Appellants' specification at page 17, lines 6-8). Accidental disassembly is further reduced as a result of the design of spin stop chamber loading region 80 which is very narrow and tortuous. (See, e.g. Appellants' specification at page 17, lines 8-10).

The additional information required by the United States Patent Office is as follows. Claims 1, 31, 42, 48, and 51 are independent claims.

#### Claim 1

Claim 1 recites:

A patellar prosthesis comprising (see, e.g., Appellants' specification at Abstract):

a first subcomponent (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 60);

a boss operably connected to the first subcomponent (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 62); and

a second subcomponent movably connected to the first subcomponent with the boss (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16 reference number 70), the second subcomponent comprising,

a first side, the first side having (i) a channel therein (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16 reference number 72), (ii) a boss retaining region operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16, page 19, lines 3-8 and reference number 116 of FIG. 22), and (iii) a boss assembly region operable to facilitate the insertion of the boss into the channel, by allowing the boss to pass through the boss assembly region for insertion of the boss into the channel (see, e.g. Appellants' specification at page 17, lines 5-6 and FIG. 16 reference number 78).

### Claim 31

Claim 31 recites:

A patellar replacement component base comprising (see, e.g., Appellants' specification at Abstract):

a generally planar bone contacting surface lying in a first plane (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15);

a dome shaped contact surface for contacting a patellar articulating component and located generally opposite the bone contacting surface (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 66); and

a boss having a stem extending from the dome shaped articulating component contact surface along an axis, the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference numbers 62 and 76).

#### Claim 42

Claim 42 recites:

A patellar prosthesis comprising (see, e.g., Appellants' specification at Abstract):

a first subcomponent (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 60);

a boss operably connected to the first subcomponent (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 62); and

a second subcomponent movably connected to the first subcomponent with the boss (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16 reference number 70), the second subcomponent comprising,

a first side, the first side having (i) a channel therein (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16 reference number 72), (ii) a boss retaining region having a first configuration operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss (see, e.g. Appellants' specification at page 16, lines 23-25 and FIG. 16, page 19, lines 3-8 and reference number 116 of FIG. 22, page 19, lines 17-20 and reference number 122 of FIG. 23, page 20, lines 11-13 and reference number 150 of FIG. 26B, etc.), and (iii) a boss assembly region having a second configuration operable to facilitate the insertion of the boss into the

channel, the first configuration and the second configuration being different (see, e.g. Appellants' specification at page 17, lines 5-6 and FIG. 16, page 19, lines 7-9 and reference number 120 of FIG. 20, page 19, lines 21-26 and reference number 130 of FIG. 23, page 20, lines 11-13 and reference number 152 of FIG. 26A, page 21, lines 3-5 and reference number 164 of FIG. 29, etc.).

#### Claim 48

Claim 48 recites:

A patellar replacement component base comprising (see, e.g., Appellants' specification at Abstract):

a body defining a generally planar bone contacting surface lying in a first plane (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15), a dome shaped articulating component contact surface generally opposite the bone contacting surface (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 66);

a stem extending outwardly from the dome shaped articulating component contact surface of said body along a line, the line of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference numbers 62 and 76); and

a head extending from said stem (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference numbers 62 and 74).

Claim 51

Claim 51 recites:

A patellar replacement component base comprising (see, e.g., Appellants' specification at Abstract):

a integral body defining generally planar bone contacting surface lying in a first plane(see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15), a dome shaped contact surface generally opposite the bone contacting surface (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference number 66); and

a stem extending outwardly from the dome shaped contact surface of said body in a direction away from the generally planar bone contacting surface along an axis (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15 reference numbers 62 and 76), the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees (see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15), the stem being integral with said body(see, e.g. Appellants' specification at page 16, lines 6-7 and FIG. 15).

## **(6) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL**

Claims 1-3, 10, 13, 14, 31, 38-40, 42-49, 51 and 52 stand rejected as being anticipated under 35 U.S.C. §102(b) by Ashby.

Claim 41 stands rejected under 35 U.S.C. §103(a) as being obvious over Ashby.

Claims 50 and 53 stand rejected under 35 U.S.C. §103(a) as being obvious over Ashby in view of U.S. Patent No. 5,019,104 issued to Whiteside et al. (hereinafter "Whiteside").

## (7) ARGUMENT

### **Claims 1-3, 10, 13, 14, 31, 38-40, 42-49, 51 and 52 Are Not Anticipated by Ashby**

Claims 1-3, 10, 13, 14, 31, 38-40, 42-49, 51 and 52 stand rejected under 35 U.S.C. §102(b) as being anticipated by Ashby. (Office Action at page 2). Ashby does not teach or disclose each element of the claims. Therefore, the rejections should be overturned.

### *Discussion re: Patentability of Claim 1*

#### 1. Claim 1

Claim 1 recites the following:

A patellar prosthesis comprising:  
 a first subcomponent;  
 a boss operably connected to the first subcomponent; and  
 a second subcomponent movably connected to the first subcomponent with the boss, the second subcomponent comprising,  
     a first side, the first side having (i) a channel therein, (ii) a boss retaining region operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss, and (iii) a boss assembly region operable to facilitate the insertion of the boss into the channel, by allowing the boss to pass through the boss assembly region for insertion of the boss into the channel.

Claim 1 thus recites a subcomponent of a patellar prosthesis that includes a boss-receiving channel and a “boss assembly region” “through” which the boss moves into the channel.

#### 2. The Examiner has Failed to Identify Each Element of Claim 1

The Examiner has alleged that the undercut 18 of Ashby is a boss retaining region and that an arbitrarily identified area of the slot 17 is a “boss assembly region”. (Office

Action at page 2). The Examiner has failed to identify each element of claim 1 in the device of Ashby.

Specifically, the Examiner has alleged that the “left side of element 17” is a boss assembly region. (Office Action at page 2). The Examiner has also alleged, however, that the slot 17 is the “channel.” (Office Action at page 2). A single component cannot be both a channel and a separate element which facilitates entry of a boss into itself. Moreover, the Examiner has failed to identify anything about the “left side of the channel 17” which is different from any other portion of the channel 17 such that one could reasonably conclude that the left side of the channel 17 facilitates entry of a boss into the channel 17. Thus, the slot 17 of Ashby cannot be both a channel and a component which is operable to facilitate entry of a boss into the channel.

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Merely renaming arbitrarily identified areas of the slot of Ashby is not sufficient to make a showing of anticipation. Rather, anticipation requires each element of the claim to be identified in the prior art. Therefore, because the Examiner has failed to identify any component of Ashby which is configured to facilitate entry of a boss into the slot 17, claim 1 is not anticipated by the device of Ashby.

### 3. The Examiner has Mischaracterized Ashby

Moreover, the Examiner has mischaracterized the manner in which the device of Ashby is assembled. The Examiner has alleged that the boss of Ashby is allowed to “pass through the [left side of the channel 17] for insertion of the boss into the channel” with

reference to column 3, lines 35-46 of Ashby. (Office Action at page 3). The Examiner has failed to explain how one solid (the boss) can pass through another solid (the side of the channel).

Additionally, the alleged passage of one solid through another solid is explicitly contradicted by the disclosure of Ashby. Immediately *following* the passage cited by the Examiner, Ashby explains the actual manner in which the device is assembled. Thus, at column 3, lines 48-52 Ashby states that “[t]he dimensions of the slot 17 and the peg 7 are arranged so that the enlarged end of the peg can be inserted into the slot 17 and when rotated, the extensions 9 engage within the re-entrant undercut 18 to hold the parts together.” Thus, Ashby does not disclose passage of a boss “through” the left side of the slot 17 as alleged by the Examiner.

#### 4. Conclusion

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose each element of the Appellants’ claim 1, for any or all of the foregoing reasons, Ashby does not anticipate Appellants’ claim 1. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 1.

#### *Discussion Re: Patentability of Claims 2-3, and 10*

Each of claims 2-3, and 10 depend from claim 1 and include the limitations discussed above with respect to claim 1 and additional limitations. Therefore, for at least

the same reasons set forth with respect to claim 1, claims 2-3, and 10 are patentable over Ashby.

*Discussion Re: Patentability of Claim 13*

1. Claim 13

Claim 13 recites the following:

The patellar prosthesis of claim 1, wherein the boss assembly region is offset from the channel.

Accordingly, claim 13 recites a displacement of the boss assembly region with respect to the channel.

2. Argument of Claim 1 Applies

As an initial matter, claim 13 depends from claim 1 and includes all of the limitations of claim 1. The Examiner rejected claim 13 based upon the same prior art discussed above with respect to claim 1. Accordingly, for the same reasons set forth above with respect to claim 1, claim 13 is patentable over Ashby.

3. Ashby Does Not Disclose an Offset as Recited

The Examiner has alleged that Ashby discloses the relationship between a boss assembly region and a channel as recited in claim 13. (Office Action at page 3). The Examiner's allegation is nonsensical.

Specifically, the Examiner has alleged that the left side of the slot 17 is a boss assembly region while the slot 17 is a channel. (Office Action at page 2). Therefore, the Examiner is asserting that the left side of the slot 17 is offset from the slot. A portion of a

component which defines the boundary of the component cannot at the same time be offset from the thing so defined.

The Federal Circuit has stated:

Because the Hallmark of anticipation is prior invention, the prior art reference—in order to anticipate under 35 U.S.C. § 102—must not only disclose all elements of the claim within the four corners of the document, but must also disclose those elements “arranged as in the claim.”

*Net Moneyin, Inc. v. Verisign, Inc.*, 88 USPQ2d 1751, 1758, (Fed. Cir. 2008), citing, *Connell v Sears, Roebuck & Co.*, 722 F.2d 1542, 1548, 220 USPQ 193, 198 (Fed. Cir. 1983). The side of the slot of Ashby is not offset from the slot. Therefore, Ashby does not anticipate claim 13.

Anticipation under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose all of the elements of claim 13 in the manner arranged in claim 13, Ashby does not anticipate claim 13.

#### 4. Conclusion

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose each element of the Appellants’ claim 13, for any or all of the foregoing reasons, Ashby does not anticipate Appellants’ claim 13. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 13.

#### *Discussion Re: Patentability of Claim 14*

##### 1. Claim 14

Claim 14 recites the following:

The patellar prosthesis of claim 13, further comprising:  
 a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:  
 a spin stop receiving chamber with a loading region, the loading region of the spin stop chamber configured such that when the boss is being inserted into the channel through the boss assembly region, the spin stop is inserted into the spin stop chamber loading region.

Accordingly, claim 14 recites 1) a spin stop chamber loading region, which is 2) specifically positioned such that as the boss enters the channel, the spin stop enters the spin stop chamber loading region.

2. Argument of Claim 13 Applies

As an initial matter, claim 14 depends from claim 13 and includes all of the limitations of claim 13. The Examiner rejected claim 14 based upon the same prior art discussed above with respect to claim 13. Accordingly, for the same reasons set forth above with respect to claim 13, claim 14 is patentable over Ashby.

3. Prima Facie Anticipation has Not Been Alleged

Additionally, while the Examiner has alleged that the slot 19 of Ashby is a spin stop chamber, the Examiner has failed to identify any component of Ashby as being a spin stop chamber loading region. (Office Action at page 4).

Anticipation under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since the Examiner has failed to identify each element of claim 14 in the device of Ashby, the Examiner has failed to properly allege anticipation of claim 14.

4. Ashby Does Not Disclose a Spin Stop Chamber Loading Region as Recited

Moreover, even if the Examiner intended to allege that some portion of the slot 19 was a spin stop chamber loading region, such allegation would be expressly contrary to the explicit teaching of Ashby. As discussed above, at column 3, lines 48-52 Ashby states that “[t]he dimensions of the slot 17 and the peg 7 are arranged so that the enlarged end of the peg can be inserted into the slot 17 and when rotated, the extensions 9 engage within the re-entrant undercut 18 to hold the parts together.” Thus, during assembly, when the peg 7 is inserted into the slot 17, the pin 20 of Ashby is located either directly to the right of the peg 7 or directly to the left of the peg 7 as those component are depicted in FIG. 8 of Ashby. Rotation of the mobile bearing component 10 *after* the peg is inserted into the slot 17 then brings the pin 20 into alignment with the slot 19. Thus, as the peg 7 is positioned into slot 17, the pin 20 is located either directly to the left or directly to the right of the peg 7 as viewed in FIG. 8. As is evident from FIG. 8, there is no component to the left or the right of the slot 17 that could be construed to receive the pin 20 as the peg 7 is received into the channel 17.

The Federal Circuit has stated:

Because the Hallmark of anticipation is prior invention, the prior art reference—in order to anticipate under 35 U.S.C. § 102—must not only disclose all elements of the claim within the four corners of the document, but must also disclose those elements “arranged as in the claim.”

*Net Moneyin, Inc. v. Verisign, Inc.*, 88 USPQ2d 1751, 1758, (Fed. Cir. 2008), citing, *Connell v Sears, Roebuck & Co.*, 722 F.2d 1542, 1548, 220 USPQ 193, 198 (Fed. Cir. 1983). Neither the slot 19 nor any other component of Ashby receives the pin 20 as the peg 7 is inserted into the slot 17. Therefore, Ashby does not anticipate claim 14.

Anticipation under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose all of the elements of claim 14 in the manner arranged in claim 14, Ashby does not anticipate claim 14.

4. Conclusion

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose each element of the Appellants' claim 14, for any or all of the foregoing reasons, Ashby does not anticipate Appellants' claim 14. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 14.

*Discussion re: Patentability of Claim 31*

1. Claim 31

Claim 31 recites:

A patellar replacement component base comprising:  
 a generally planar bone contacting surface lying in a first plane;  
 a dome shaped contact surface for contacting a patellar articulating component and located generally opposite the bone contacting surface; and  
 a boss having a stem extending from the dome shaped articulating component contact surface along an axis, the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees.

Accordingly, a patellar base includes a generally flat bone contacting surface on one side thereof and a domed shaped surface configured to contact a patellar articulating component on the opposite side. Additionally, a stem extends outwardly from the dome shaped surface along an axis which intersects the plane of the bone contacting surface at an angle of other than 90 degrees.

2. The Convex Dish of Ashby is Not Both Planar and Domed

The Examiner has alleged that Ashby discloses a component with a planar bone contacting surface and a domed opposite surface. The Examiner has mischaracterized Ashby.

Specifically, the Examiner identifies the component of FIGs. 1-3 of Ashby as a base component, with a “generally planar bone contacting surface (4)” and a “dome shaped contact surface (2)” opposite the bone contacting surface. (Office Action at page 4). Ashby discloses, however, that the component identified by reference number 2 is a “convex dish.” (Ashby at column 3, lines 20-23). As evidenced by FIG. 6, the bone contacting surface 4 and the posterior face 6 (the surface opposite to the bone contacting surface 4) are *identically* shaped. Two surfaces which are identically shaped cannot be both planar and domed. The two terms are mutually exclusive.

Moreover, Ashby explicitly states that the posterior face 6 is “convex.” (Ashby at column 3, lines 34-35). Therefore, the bone contacting surface 4, since it is identically shaped, must also be convex. A convex surface is not a planar surface.

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since the *identically* shaped opposite sides of Ashby cannot be both planar and domed, Ashby does not anticipate Appellants’ claim 31. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 31.

3. The Device of Ashby Is Not Configured in The Manner Recited

Moreover, claim 31 recites “the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees.” The Examiner cites to FIGs. 1-3 of Ashby as disclosing this arrangement. (Office Action at page 4). FIG. 2 of Ashby, however, depicts a plan view of the convex dish 2 wherein the bone contacting surface 4 is clearly curved. Thus, there is no “bone contacting surface plane.” To the extent any such plane could be approximated, the axis of peg 7 appears to intersect such a plane at exactly 90 degrees. Furthermore, a plane tangent to the curved bone surface 4 at the intersection of the axis of the peg 7 and the bone contacting surface 4 also appears to be exactly ninety degrees (see, e.g., FIG. 6). Nothing in Ashby teaches to the contrary.

Therefore, to the extent Ashby discloses anything about the orientation of the peg 7 with the bone contacting surface 4, such disclosure is of a peg that is oriented with an axis at exactly 90 degrees with respect to a plane defined by the bone contacting surface. A stem which extends outwardly from the dome shaped surface along an axis which intersects the plane of the bone contacting surface at an angle of 90 degrees is not the same as a stem which extends outwardly from the dome shaped surface along an axis which intersects the plane of the bone contacting surface at an angle of other than 90 degrees. Therefore, the peg 7 of Ashby is not arranged in the manner required by claim 31.

The Federal Circuit has stated:

Because the Hallmark of anticipation is prior invention, the prior art reference --in order to anticipate under 35 U.S.C. § 102--must not only disclose all elements of the claim within the four corners of the document, but must also disclose those elements “arranged as in the claim.”

*Net Moneyin, Inc. v. Verisign, Inc.*, 88 USPQ2d 1751, 1758, (Fed. Cir. 2008), citing, *Connell v Sears, Roebuck & Co.*, 722 F.2d 1542, 1548, 220 USPQ 193, 198 (Fed. Cir. 1983). The peg 7 is not arranged in the manner required by claim 31. Therefore, Ashby does not anticipate claim 31.

Anticipation under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose all of the elements of claim 31 arranged in the manner required by claim 31, Ashby does not anticipate claim 31.

#### 4. Conclusion

For any or all of the above reasons, the Board of Appeals is respectfully requested to overturn the rejection of claim 31.

#### *Discussion Re: Patentability of Claim 38*

##### 1. Claim 38

Claim 38 recites:

The patellar replacement component base of claim 31, further comprising:  
     a spin stop extending from the dome shaped contact surface along an axis, the axis of the spin stop intersecting the bone contacting surface plane at an angle of other than 90 degrees.

Claim 38 thus requires two different components to extend outwardly from the dome shaped surface along axes which intersect the plane of the bone contacting surface at an angle of other than 90 degrees.

2. Argument of Claim 31 Applies

As an initial matter, claim 38 depends from claim 31 and includes all of the limitations of claim 31. The Examiner rejected claim 38 based upon the same art discussed above with respect to claim 31. Accordingly, for the same reasons set forth above with respect to claim 31, claim 38 is patentable over Ashby.

3. The Device of Ashby Is Not Configured in The Manner Recited

Moreover, claim 38 recites “the axis of the of the spin stop intersecting the bone contacting surface plane at an angle of other than 90 degrees.” The Examiner cites to FIG. 1 of Ashby as disclosing this arrangement. (Office Action at page 4). FIG. 1 of Ashby, however, depicts a top plan view of the convex dish 2. Accordingly, the axis of the pin 20 with respect to the bone contacting surface 4 cannot be ascertained. Consequently, there is no basis in the disclosure of Ashby for the Examiner’s conclusion that the pin 20 has an axis that intersects a bone contacting surface plane at an angle of other than 90 degrees.

In the absence of any express disclosure of an element, MPEP § 2112 requires the Examiner to provide rationale or evidence tending to show inherency. To establish inherency, the extrinsic evidence must show that the missing descriptive matter is “necessarily present”. (MPEP § 2112). The Examiner has failed to cite to any evidence or to provide any rationale in support of the allegation that the pin 20 along an axis that intersects a bone contacting surface plane at an angle of other than 90 degrees.

Therefore, because Ashby does not disclose that the pin 20 along an axis that intersects a bone contacting surface plane at an angle of other than 90 degrees, and

because the Examiner has failed to establish that the pin 20 inherently along an axis that intersects a bone contacting surface plane at an angle of other than 90 degrees, the Examiner has failed to establish *prima facie* anticipation.

4. Conclusion

For any or all of the above reasons, the Board of Appeals is respectfully requested to overturn the rejection of claim 38.

*Discussion Re: Patentability of Claim 39*

Claim 39 depends from claim 38 and includes the limitations discussed above with respect to claim 38 and additional limitations. Therefore, for at least the same reasons set forth with respect to claim 38, claim 39 is patentable over Ashby.

*Discussion Re: Patentability of Claim 40*

1. Claim 40

Claim 40 recites:

The patellar replacement component base of claim 38, wherein:  
the dome shaped contact surface forms an apex; and  
the spin stop and the boss are on opposite sides of the apex when viewed from a side elevational view.

Claim 40 thus requires the boss and spin stop to be spaced apart from the apex of the dome surface in different directions when viewed from a side elevational view.

2. Argument of Claim 38 Applies

As an initial matter, claim 40 depends from claim 38 and includes all of the limitations of claim 38. The Examiner rejected claim 40 based upon the same art discussed above with respect to claim 38. Accordingly, for the same reasons set forth above with respect to claim 38, claim 40 is patentable over Ashby.

3. The Device of Ashby Is Not Configured in the Manner Recited

Moreover, claim 40 requires the boss and the spin stop to be on opposite sides of the apex of the domed surface when viewed from a side perspective view. The Examiner cites to FIGs. 1-3 of Ashby as disclosing this arrangement. (Office Action at page 4). FIG. 2 of Ashby is a side elevational view. The pin 20, however, is not visible in FIG. 2. FIG 2 does show, however, that the peg 7 is located at the apex of the convex surface 6. Obviously, regardless of the actual location of the pin 20, the pin 20 cannot be on an opposite side of the apex from peg 7 if the peg 7 is at the apex.

Additionally, FIG. 1 shows that the pin 20 is centered with the peg 7 when viewed from the side. Accordingly, if the pin 20 was shown in FIG. 2, the pin 20 would be collocated with the peg 7. Two components that are collocated when viewed from a side perspective view cannot be on opposite sides of the apex of the domed surface when viewed from a side perspective view. Therefore, because Ashby does not disclose that the pin 20 and the peg 7 are on opposite sides of the apex of the domed surface when viewed from a side perspective view, the pin 20 and the peg 7 are not configured in the manner required by claim 40.

The Federal Circuit has stated:

Because the Hallmark of anticipation is prior invention, the prior art reference --in order to anticipate under 35 U.S.C. § 102--must not only disclose all elements of the claim within the four corners of the document, but must also disclose those elements "arranged as in the claim."

*Net Moneyin, Inc. v. Verisign, Inc.*, 88 USPQ2d 1751, 1758, (Fed. Cir. 2008), citing,

*Connell v Sears, Roebuck & Co.*, 722 F.2d 1542, 1548, 220 USPQ 193, 198 (Fed. Cir. 1983). The peg 7 and pin 20 are not arranged in the manner required by claim 40.

Therefore, Ashby does not anticipate claim 40.

Anticipation under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose all of the elements of claim 40 arranged in the manner required by claim 40, Ashby does not anticipate claim 40.

#### 4. Conclusion

For any or all of the above reasons, the Board of Appeals is respectfully requested to overturn the rejection of claim 40.

#### *Discussion re: Patentability of Claim 42*

##### 1. Claim 42

Claim 42 recites the following:

A patellar prosthesis comprising:

- a first subcomponent;
- a boss operably connected to the first subcomponent; and
- a second subcomponent movably connected to the first subcomponent with the boss, the second subcomponent comprising,
  - a first side, the first side having (i) a channel therein, (ii) a boss retaining region having a first configuration operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss, and
  - (iii) a boss assembly region having a second configuration operable to facilitate the insertion of the boss into the channel, the first configuration and the second configuration being different.

Accordingly, claim 42 is similar to claim 1. Claim 42 differs from claim 1 in that 1) the boss assembly region of claim 42 is not limited to a region “through” which the boss moves, and 2) claim 42 recites the boss retaining region and boss assembly regions as having different configurations.

2. The Arguments of Claim 1 Apply

Notwithstanding the different limitations of claim 42, the Examiner rejected claim 42 based upon the same allegations described above with respect to claim 1 except no assertion was made regarding the ability of the boss to pass through the side of the slot 17. (Office Action at page 5).

Therefore, claim 42 is patentable over Ashby based upon the same arguments as those set forth above with respect to claim 1, as applied to the elements of claim 42, except for the discussion of the alleged ability of the peg of Ashby to pass through the side of the slot 17.

3. Conclusion

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose the different configurations of a boss assembly region and a boss retaining region as recited in claim 42 for any or all of the foregoing reasons, Ashby does not anticipate Appellants’ claim 42. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 42.

*Discussion re: Patentability of Claims 43-45*

Claims 43-45 depend from claim 42 and incorporate all the limitations of claim 42. Accordingly, claims 43-45 are patentable over the prior art for at least the same reasons as those set forth above in connection with claim 42 and the Board of Appeals is respectfully requested to overturn the rejection of claims 43-45.

*Discussion Re: Patentability of Claim 46*1. Claim 46

Claim 46 recites the following:

The patellar prosthesis of claim 42, wherein the boss assembly region is connected to but offset from the channel.

Accordingly, claim 46 recites a displacement of the boss assembly region from the channel wherein the boss assembly region is connected to the channel at an angle.

2. Argument of Claim 42 Applies

As an initial matter, claim 46 depends from claim 42 and includes all of the limitations of claim 42. The Examiner rejected claim 46 based upon the same prior art discussed above with respect to claim 42. Accordingly, for the same reasons set forth above with respect to claim 42, claim 46 is patentable over Ashby.

3. Ashby Does Not Disclose an Offset as Recited

The Examiner has alleged that Ashby discloses the relationship between a boss assembly region and a channel as recited in claim 46. (Office Action at page 5). Ashby does not support the Examiner's allegation.

Specifically, the Examiner has alleged that “Ashby discloses claim 46 as shown in Figure 6.” (Office Action at page 6). FIG. 6, however, merely shows a cross section of the mobile bearing 10 and the channel 17. The only area that could reasonably be described as “offset” from the slot 17 in FIG. 6 are the undercut areas 18, which the Examiner has alleged to be the boss retaining areas. (Office Action at page 6). The undercut areas 18, however, are not used in the insertion of the peg 7 into the slot 17 as discussed above. (See, e.g., Ashby at column 3, lines 48-53, stating the peg 7 is inserted into the slot 17 and *then* rotated into the undercut 18).

Of course, the Examiner has previously alleged that the side of the slot 17 is a boss assembly region. (Office Action at page 5). The side of the slot cannot reasonably be described as being offset from the slot.

Therefore, because the only component shown as offset from the slot 17 is the undercut 18, and because the undercut 18 is not a boss assembly region as discussed above, and because the side of a component cannot reasonably be described as being offset from the component, Ashby does not disclose a boss assembly region configured in the manner required by claim 46. Consequently, Ashby does not anticipate claim 46.

#### 4. Ashby's Walls Are Not Connected to the Slot

Moreover, claim 46 recites that the boss assembly region and the channel are “connected”. The side of the slot 17 *defines* the slot 17. Therefore, because the side of the slot 17 defines the slot 17, it would be grammatically incorrect to describe the side of the slot as being connected to the slot. Thus, any reasonable construction of claim 46

requires a configuration of the boss assembly region and the channel which excludes the side of the slot 17 from being a boss assembly region.

5. Conclusion

It is axiomatic that anticipation of a claim under 35 U.S.C. § 102 is proper only if the prior art reference discloses each and every element of the claim. Since Ashby does not disclose each element of the Appellants' claim 46, for any or all of the foregoing reasons, Ashby does not anticipate Appellants' claim 46. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 46.

*Discussion re: Patentability of Claim 47*

1. Claim 47

Claim 47 recites:

The patellar prosthesis of claim 46, further comprising:  
a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:  
a spin stop receiving chamber with a loading region, the loading region of the spin stop chamber configured such that when the boss is being inserted into the channel through the boss assembly region, the spin stop is inserted into the spin stop chamber loading region.

Accordingly, a loading region in a spin stop chamber is configured such that the spin stop moves into the receiving chamber contemporaneously with insertion of the boss into the channel.

2. Argument of Claim 46 Applies

As an initial matter, claim 47 depends from claim 46 and includes all of the limitations of claim 46. The Examiner rejected claim 47 based upon the same prior art

discussed above with respect to claim 46. Accordingly, for the same reasons set forth above with respect to claim 46, claim 47 is patentable over Ashby.

3. Ashby's Device is Not Simultaneously Assembled

Moreover, the Examiner has alleged that the structural relationship set forth in claim 47 is disclosed by Ashby with reference to FIG. 8. (Office Action at page 6). This is the same allegation made by the Examiner with respect to claim 14 and the limitation added by claim 47 is the same limitation discussed above with respect to claim 14. Accordingly, for the same reasons set forth above with respect to the limitation added by claim 14, claim 47 is patentable over Ashby.

4. Conclusion

For any or all of the above reasons, the Board of Appeals is respectfully requested to reverse the rejection of claim 47.

*Discussion re: Patentability of Claim 48*

Claim 48 recites:

A patellar replacement component base comprising:

a body defining a generally planar bone contacting surface lying in a first plane, a dome shaped articulating component contact surface generally opposite the bone contacting surface;

a stem extending outwardly from the dome shaped articulating component contact surface of said body along a line, the line of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees; and

a head extending from said stem.

For purposes of this appeal, claim 48 thus recites the same limitations discussed above with respect to claim 31. The Examiner rejected claim 48 based upon the same

prior art discussed above with respect to claim 31. (Office Action at pages 4 and 6). Accordingly, claim 48 is patentable over the prior art for the same reasons set forth above in connection with the patentability of claim 31 and the Board of Appeals is respectfully requested to overturn the rejection of claim 48.

*Discussion re: Patentability of Claim 49*

Claim 49 depends from claim 48 and incorporates all the limitations of claim 48. Accordingly, claim 49 is patentable over the prior art for at least the same reasons as those set forth above in connection with claim 48 and the Board of Appeals is respectfully requested to overturn the rejection of claim 49.

*Discussion re: Patentability of Claim 51*

Claim 51 recites:

A patellar replacement component base comprising:  
a integral body defining generally planar bone contacting surface lying in a first plane, a dome shaped contact surface generally opposite the bone contacting surface; and  
a stem extending outwardly from the dome shaped contact surface of said body in a direction away from the generally planar bone contacting surface along an axis, the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees, the stem being integral with said body.

For purposes of this appeal, claim 51 thus recites at least the same limitations discussed above with respect to claim 31. The Examiner rejected claim 51 based upon the same prior art discussed above with respect to claim 31. (Office Action at pages 4 and 7). Accordingly, claim 51 is patentable over the prior art for at least the same reasons set forth above in connection with the patentability of claim 31 and the Board of Appeals is respectfully requested to overturn the rejection of claim 51.

*Discussion re: Patentability of Claim 52*

Claim 52 depends from claim 51 and incorporates all the limitations of claim 51. Accordingly, claim 52 is patentable over the prior art for at least the same reasons as those set forth above in connection with claim 51 and the Board of Appeals is respectfully requested to overturn the rejection of claim 52.

**Claim 41 Is Not Obvious over Ashby**

Claim 41 stands rejected under 35 U.S.C. §103(a) as being obvious over Ashby. (Office Action at page 7). Claim 41 depends from claim 31 and includes all of the limitations of claim 31. The Examiner rejected claim 41 based upon the same prior art discussed above with respect to claim 31. Accordingly, even if Ashby is modified to incorporate a spherical dome shaped contact surface, such modification fails to correct the deficiencies of Ashby with respect to the limitations of claim 31. Thus, the proposed modification fails to arrive at the invention of claim 41. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claim 41.

**Claims 50 and 53 Are Not Obvious over Ashby**

Claims 50 and 53 stand rejected under 35 U.S.C. §103(a) as being obvious over Ashby in view of Whiteside. (Office Action at page 7). The proposed modification does not arrive at the invention claimed. Therefore, the rejections should be overturned.

*Discussion re: Patentability of Claim 50*

Claim 50 depends from claim 48 and includes all of the limitations of claim 48. The Examiner rejected claim 50 based upon the same prior art discussed above with respect to claim 48, and modifying the materials used based upon the disclosure of Whiteside. (Office Action at pages 7-8). Accordingly, even if Ashby is modified in the manner suggested by the Examiner, such modification fails to correct the deficiencies of Ashby with respect to the elements of claim 48 as discussed above and claim 50 is patentable over the proposed modification of Ashby for the same reasons set forth above with respect to claim 48.

*Discussion re: Patentability of Claim 53*

Claim 53 depends from claim 51 and includes all of the limitations of claim 51. The Examiner rejected claim 53 based upon the same prior art discussed above with respect to claim 51, and modifying the materials used based upon the disclosure of Whiteside. (Office Action at pages 7-8). Accordingly, even if Ashby is modified in the manner suggested by the Examiner, such modification fails to correct the deficiencies of Ashby with respect to the elements of claim 51 as discussed above and claim 53 is patentable over the proposed modification of Ashby for the same reasons set forth above with respect to claim 51.

**CONCLUSION**

Claims 1-3, 10, 13, 14, 31, 38-40, 42-49, 51 and 52 are not anticipated by Ashby, claim 41 is not obvious over Ashby, and claims 50 and 53 are not obvious over Ashby in

view of Whiteside. Accordingly, the Board of Appeals is respectfully requested to overturn the rejection of claims 1-3, 10, 13, 14, 31, and 38-53.

Respectfully submitted,

MAGINOT, MOORE & BECK LLP

/James D. Wood/

James D. Wood  
Attorney for Appellants  
Registration No. 43,285

April 1, 2010  
Maginot, Moore & Beck LLP  
Chase Tower  
111 Monument Circle, Suite 3250  
Indianapolis, Indiana 46204-5115  
Telephone (317) 638-2922

**(8) CLAIMS APPENDIX**

This Appendix is in the form previously required by the Examiner (see Notice of Non-Compliant Appeal Brief dated March 6, 2009).

Claim 1. A patellar prosthesis comprising:

- a first subcomponent;
- a boss operably connected to the first subcomponent; and
- a second subcomponent movably connected to the first subcomponent with the boss, the second subcomponent comprising,
  - a first side, the first side having (i) a channel therein, (ii) a boss retaining region operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss, and (iii) a boss assembly region operable to facilitate the insertion of the boss into the channel, by allowing the boss to pass through the boss assembly region for insertion of the boss into the channel.

Claim 2. The patellar prosthesis of claim 1, wherein the first subcomponent comprises a base and wherein the second subcomponent comprises an articulating subcomponent.

Claim 3. The patellar prosthesis of claim 1, wherein:

- the boss comprises a stem and a head having a width;
- the channel has a first side and a second side, the second side spaced apart from the first side by a first distance; and

the boss retaining region comprises a lip, a first section having width and a second section having a width, the first section of the lip located on the first side of the channel and the second section of the lip located on the second side of the channel, the width of the head being greater than the first distance of the channel minus the width of the first section of the lip and minus the width of the second section of the lip.

Claim 4.

Claim 5.

Claim 6.

Claim 7.

Claim 8.

Claim 9.

Claim 10. The patellar prosthesis of claim 1, further comprising:

a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:

a spin stop receiving chamber, the spin stop receiving chamber configured to receive the spin stop when the second subcomponent, boss and first subcomponent are assembled, such that the spin stop is movable within the spin stop receiving chamber.

Claim 11.

Claim 12.

Claim 13. The patellar prosthesis of claim 1, wherein the boss assembly region is offset from the channel.

Claim 14. The patellar prosthesis of claim 13, further comprising:

a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:

a spin stop receiving chamber with a loading region, the loading region of the spin stop chamber configured such that when the boss is being inserted into the channel through the boss assembly region, the spin stop is inserted into the spin stop chamber loading region.

Claim 15.

Claim 16.

Claim 17.

Claim 18.

Claim 19.

Claim 20.

Claim 21.

Claim 22.

Claim 23.

Claim 24.

Claim 25.

Claim 26.

Claim 27.

Claim 28.

Claim 29.

Claim 30.

Claim 31. A patellar replacement component base comprising:

a generally planar bone contacting surface lying in a first plane;

a dome shaped contact surface for contacting a patellar articulating component and located generally opposite the bone contacting surface; and

a boss having a stem extending from the dome shaped articulating component contact surface along an axis, the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees.

Claim 32.

Claim 33.

Claim 34.

Claim 35.

Claim 36.

Claim 37.

Claim 38. The patellar replacement component base of claim 31, further comprising:  
a spin stop extending from the dome shaped contact surface along an axis, the axis of the spin stop intersecting the bone contacting surface plane at an angle of other than 90 degrees.

Claim 39. The patellar replacement component base of claim 38, wherein:  
the boss includes a head portion extending outwardly from the stem portion, the head portion extending over a portion of the contact surface; and  
the spin stop is cylindrically shaped.

Claim 40. The patellar replacement component base of claim 38, wherein:  
the dome shaped contact surface forms an apex; and  
the spin stop and the boss are on opposite sides of the apex when viewed from a side elevational view.

Claim 41. The patellar replacement component base of claim 31, wherein the dome shaped contact surface is spherical.

Claim 42. A patellar prosthesis comprising:  
a first subcomponent;  
a boss operably connected to the first subcomponent; and

a second subcomponent movably connected to the first subcomponent with the boss, the second subcomponent comprising,

a first side, the first side having (i) a channel therein, (ii) a boss retaining region having a first configuration operable to retain the boss within the channel when the boss is inserted into the channel by contacting the boss, and (iii) a boss assembly region having a second configuration operable to facilitate the insertion of the boss into the channel, the first configuration and the second configuration being different.

Claim 43. The patellar prosthesis of claim 42, wherein the first subcomponent comprises a base and wherein the second subcomponent comprises an articulating subcomponent.

Claim 44. The patellar prosthesis of claim 42, wherein:

the boss comprises a stem and a head having a width;

the channel has a first side and a second side, the second side spaced apart from the first side by a first distance; and

the boss retaining region comprises a lip, a first section having width and a second section having a width, the first section of the lip located on the first side of the channel and the second section of the lip located on the second side of the channel, the width of the head being greater than the first distance of the channel minus the width of the first section of the lip and minus the width of the second section of the lip.

Claim 45. The patellar prosthesis of claim 42, further comprising:

a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:

a spin stop receiving chamber, the spin stop receiving chamber configured to receive the spin stop when the second subcomponent, boss and first subcomponent are assembled, such that the spin stop is movable within the spin stop receiving chamber.

Claim 46. The patellar prosthesis of claim 42, wherein the boss assembly region is connected to but offset from the channel.

Claim 47. The patellar prosthesis of claim 46, further comprising:

a spin stop operably connected to the first subcomponent, and wherein the second subcomponent further comprises:

a spin stop receiving chamber with a loading region, the loading region of the spin stop chamber configured such that when the boss is being inserted into the channel through the boss assembly region, the spin stop is inserted into the spin stop chamber loading region.

Claim 48. A patellar replacement component base comprising:

a body defining a generally planar bone contacting surface lying in a first plane, a dome shaped articulating component contact surface generally opposite the bone contacting surface;

a stem extending outwardly from the dome shaped articulating component contact surface of said body along a line, the line of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees; and

a head extending from said stem.

Claim 49. The patellar replacement component base of claim 48, wherein said body, said stem, and said head are integral with each other.

Claim 50. The patellar replacement component base of claim 48, wherein said body, said stem, and said head are made of a polymer.

Claim 51. A patellar replacement component base comprising:

a integral body defining generally planar bone contacting surface lying in a first plane, a dome shaped contact surface generally opposite the bone contacting surface; and

a stem extending outwardly from the dome shaped contact surface of said body in a direction away from the generally planar bone contacting surface along an axis, the axis of the stem intersecting the bone contacting surface plane at an angle of other than 90 degrees, the stem being integral with said body.

Claim 52. The patellar replacement component base of claim 51, further comprising a head extending from said stem.

Claim 53. The patellar replacement component base of claim 51, wherein said body and said stem are made of a polymer.

**(9) EVIDENCE APPENDIX**

None.

**(10) RELATED PROCEEDINGS APPENDIX**

None.